

MATERIAL SAFETY DATA SHEET

Emergency Telephone No. (800) 424-9300

IDENTITY: SXT 1.0 Traction Compound

CODE: SXT00010

NFPA Hazard Identification 0 – Least 1 – Slight 2 – Moderate 3 – High 4 – Extreme

Health: 1 Fire: 3 Reactivity: 0

JB Products LLC

910 Belle Ave Suite 1152

Winter Springs, FL 32708

Component Name	CAS Number
----------------	------------

Aliphatic Hydrocarbon/Silicone	8052-41-3
--------------------------------	-----------

HAZARDOUS INGREDIENTS

None known

EYE CONTACT: Contact with eyes may cause irritation

SKIN CONTACT: Prolonged or repeated contact may result in skin irritation

INHALATION: Short exposures of less than 8 hours should not cause injury

INGESTION: Oral contact from fingers to the mouth should not cause injury. Swallowing large amounts may cause digestive discomfort.

EYE CONTACT: Flush with water for 15 minutes. Get medical attention if irritation persists

SKIN CONTACT: Wash skin thoroughly with soap and water. Get medical attention if irritation persists. Soaked clothing should be changed.

Flash Point (deg F): >105

Flammable or Explosive Limits (approximate % by volume in air) LEL: n/a UEL: n/a

EXTINGUISHING MEDIA: Use carbon dioxide or dry chemical on small fires. Use foam (alcohol, polymer or ordinary) and water spray for large fires.

SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus and protective clothing should be required in fighting fires involving chemicals.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Static electricity is not expected to build up, and product is not sensitive to static.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Use absorbent material to collect and contain for disposal. Contain large spills and pump into a suitable tank. Wash area with suitable detergent and thoroughly rinse.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep container closed and stored away from heat, sparks and open flame.

OTHER PRECAUTIONS: None

RESPIRATORY PROTECTION: Canister for organic vapors (i.e. type GMA from Mine Safety Appliance Co.)

VENTILATION: None should be needed

MECHANICAL: Recommended

EYE PROTECTION: Safety glasses if likelihood of contact with eyes

OTHER PROTECTIVE EQUIPMENT: Clean, body covering clothing. Eye fountain and safety shower in work area.

WORK PRACTICES: Keep containers closed when not in use

Boiling Point (deg F): >315 Specific Gravity (H2O=1): .85 Vapor Pressure (mm Hg): 3.00

Odor: Organic Solvent Odor Vapor Density (Air=1): 4.70 Solubility in Water: insoluble

Volatile % by Volume: 95

APPEARANCE AND ODOR: Clear liquid, organic solvent odor

STABILITY: Stable

INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizing material can cause a reaction

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Silicon dioxide, carbon oxides, trace amounts of formaldehyde may form when heated above 300F.

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID: See above

WASTE DISPOSAL METHOD: Place in an appropriate disposal facility in compliance with local regulations

PROPER SHIPPING NAME: Petroleum Distillates, N.O.S.

HAZARD TECHNICAL NAME: Flammable Liquid

HAZARD CLASS: III (Three)

UN/NA NUMBER: UN 1268

PACKING GROUP: III (Three)

EPA SARA TITLE III Chemical Listings:

- Section 302 Extremely Hazardous Substances: NONE
- Section 304 CERCLA Hazardous Substances: NONE
- Section 312 Hazard Class: Acute:NO Chronic:NO Fire:YES Pressure:NO Reactive:NO
- Section 313 Toxic Chemicals: NONE present or none present in regulated quantities

Supplemental State Compliance Information:

- NEW JERSEY: Not required to report under this statute
- PENNSYLVANIA: Not required to report under this statute
- CALIFORNIA PROP. 65: NONE

TSCA Registered: All components of this product are registered in the TSCA Inventory

This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we received from sources outside our company and we believe that information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any products in a manner that might infringe existing patents. No warranty is made, either expressed or implied.
