

# MATERIAL SAFETY DATA SHEET

Emergency Telephone No. (800) 424-9300

**IDENTITY:** SXT 2.0 Traction Compound

**CODE:** SXT00020

NFPA Hazard Identification: Health: 1 Fire: 1 Reactivity: 0

HMIS Ratings: Health: 1 Fire: 1 Reactivity: 0 PPE: B

JB Products LLC

910 Belle Ave Suite 1152

Winter Springs, FL 32708

---

Component Name	%	CAS
Organic Hydrocarbons	100	MIXTURE

## NON-HAZARDOUS INGREDIENTS

No IARC, NTP, OSHA and ACGIH listed carcinogens

---

**EYE CONTACT:** Contact with eyes may cause irritation

**SKIN CONTACT:** Prolonged or repeated contact may result in skin irritation or dermatitis

**INHALATION:** Breathing mist of compound in concentrations that exceed the TLV and PEL may result in respiratory discomfort and irritation

**INGESTION:** Although this product has a low order of acute oral toxicity, aspiration of minute amounts into the lungs during ingestion or vomiting may cause mild to severe pulmonary injury.

**SIGNS AND SYMPTOMS OF OVEREXPOSURE:** May cause skin, eye or respiratory irritation

**MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:** None recognized

**OTHER HEALTH INFORMATION:** None

---

**EYE CONTACT:** Flush with water for 15 minutes or until irritation subsides. Get medical attention if irritation persists

**SKIN CONTACT:** Wash skin thoroughly with soap and water. Get medical attention if irritation persists

**INHALATION:** If overcome by vapor from hot product, immediately remove person to fresh air. If breathing has stopped, administer artificial respiration. Call for medical attention.

**INGESTION:** DO NOT induce vomiting, call medical attention immediately

**CARCINOGENICITY:** This product has not been classified as a carcinogen or probable carcinogen by OSHA, NTP or IARC.

---

Flash Point (deg F): >405      Method Used: COC

Flammable or Explosive Limits (approximate % by volume in air) LEL: n/a    UEL: n/a

**EXTINGUISHING MEDIA:** Use water spray, dry chemical, foam or carbon dioxide. Use water to keep fire-exposed containers cool. Water spray may be used to flush spills away from exposures.

**SPECIAL FIRE FIGHTING PROCEDURES:** Self-contained breathing apparatus may be required.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Water or foam may cause frothing

---

**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:** Add sand, earth or other suitable absorbent to spill area. Keep product out of sewer and waterways.

---

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:** Store in a cool, dry place with adequate ventilation. Do not expose to extreme temperatures or flames

**OTHER PRECAUTIONS:** None

---

**RESPIRATORY PROTECTION:** Use supplied-air respiratory protection in confined space if needed

**VENTILATION:** Use local exhaust if necessary

**PROTECTIVE GLOVES:** Use neoprene gloves if needed to avoid prolonged or repeated skin contact

**EYE PROTECTION:** Wear goggles if likelihood of contact with eyes

**OTHER PROTECTIVE EQUIPMENT:** Use neoprene apron or other clothing if needed

**WORK PRACTICES:** Keep containers closed when not in use

**PERSONAL HYGIENE:** Wash skin thoroughly after contact, before breaks and meals, and at the end of work day.

---

Boiling Point (deg F): ND      Specific Gravity (H2O=1): .925      Vapor Pressure (mm Hg): n/a

Melting Point (deg F): 0      Vapor Density (Air=1): n/a      Solubility in Water: insoluble

Evaporation Rate (n-butyl acetate=1): n/a

**APPEARANCE AND ODOR:** Light amber liquid, mild petroleum odor

---

**STABILITY:** Stable

**INCOMPATIBILITY (MATERIALS TO AVOID):** Strong oxidants such as liquid chlorine, concentrated oxygen, sodium hypochlorite or calcium hypochlorite

**HAZARDOUS DECOMPOSITION OR BYPRODUCTS:** Carbon monoxide, aldehydes and other petroleum decomposition products in the case of incomplete combustion

**HAZARDOUS POLYMERIZATION:** Will not occur

**CONDITIONS TO AVOID:** None

---

**WASTE DISPOSAL METHOD:** Place in an appropriate disposal facility in compliance with local regulations

---

**NOT A REGULATED ITEM ACCORDING TO DOT, TDG, IMO/IMDG, IATA/ICAO**

---

**SARA SECTION 313:** This product contains from 0.5 to 1.4% zinc compounds

WHMIS classification for products: This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR

This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we received from sources outside our company and we believe that information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any products in a manner that might infringe existing patents. No warranty is made, either expressed or implied.